

SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET PROFESSIONAL
INFORMATION

SCHEDULING STATUS: S0

1. NAME OF MEDICINE

SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET

Liquid.

2. QUALITATIVE AND QUANTITATIVE COMPOSITION

Each sachet contains:

INGREDIENT	PER 100 g	PER SERVING 5 g	*NRV %
Energy	938.0 kJ	46.9 kJ	**
Protein	0.0 g	0.0 g	
Carbohydrate	40.3 g	2.0 g	
of which Total Sugar	6.0 g	0.3 g	
Total Fat	0.0 g	0.0 g	
of which Saturated	0.0 g	0.0 g	
Dietary Fibre	0.0 g	0.0 g	
Total Sodium	6678.7 mg	333.9 mg	
Potassium (as Potassium Chloride)	2400 mg	120 mg	
Magnesium (as Magnesium Bisglycinate)	1000 mg	50 mg	12 %

Vitamin C (as Ascorbic Acid)	2000 mg	100 mg	100 %
Chromium (as Chromium Picolinate)	1000 µg	50 µg	143 %

** Nutrient Reference Values (NRVs) not available.

Sugar content: Sugar free. Contains sucralose which is an artificial sweetener

Gluten free.

Full list of excipients: See section 6.1

3. PHARMACEUTICAL FORM

Liquid.

XXXX

4. CLINICAL PARTICULARS

4.1 Therapeutic indications

SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET aids in:

- supporting hydration before during and after exercise and to maintain performance
- the maintenance of exercise performance or endurance
- the metabolism of carbohydrates, fats and proteins
- being a factor in the maintenance of good health.

SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET is also:

- a provider of support for healthy glucose metabolism

- a support in appetite-focused weight management.

4.2 Posology and method of administration

Posology

Not recommended for individuals under the age of 18 years old.

Take one (1) sachet daily. Do not exceed the maximum recommended daily intake of one (1) sachet a day.

Method of administration

Oral administration only.

4.3 Contraindications

Hypersensitivity to the active substance(s) and/or any of the ingredients listed under section 6.1 List of excipients.

Consult a relevant health care provider prior to use if you have an underlying health condition.

SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET should not be taken by pregnant/breastfeeding/lactating women, anyone experiencing dehydration and children under the age of 18 years old.

4.4 Special warnings and precautions for use

Do not exceed the maximum recommended daily intake of one (1) sachet a day.

SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET should not be taken by pregnant/breastfeeding/lactating women and children under the age of 18 years old.

SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET should not be used in cases of dehydration as a substitute of an oral rehydration solution.

If you experience pain, swelling or blistering, stop use and get medical help right away.

4.5 Interaction with other medicines and other forms of interaction

No interactive studies.

4.6 Fertility, pregnancy, and lactation

Pregnancy

SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET should not be taken by pregnant women

Breastfeeding

SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET should not be taken by breastfeeding/lactating women

Fertility

No data available.

4.7 Effects on ability to drive and use machines

Effects on ability to drive and use machines: No data available.

4.8 Undesirable effects

If taken in large amounts, SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET may cause undesirable effects which are usually mild, including headache and sleep disturbances.

Hypersensitivity to SLIMZ THERMAPEPTIDE® GLP-1 ELECTROLYTE SUPPORT SACHET or any of its ingredients has been known to occur; in which case, discontinue use.

Reporting of suspected adverse reactions

Reporting suspected adverse reactions after authorisation of the medicine is important. It allows continued monitoring of the benefit/risk balance of the medicine. Health care providers are asked to report any suspected adverse reactions to SAHPRA via the “**6.04 Adverse Drug Reactions Reporting Form**”, found online under SAHPRA’s publications:

<https://www.sahpra.org.za/Publications/Index/8>

4.9 Overdose

No data available.

5. PHARMACOLOGICAL PROPERTIES

5.1 Pharmacodynamic properties

Pharmacotherapeutic group: General nutrients.

ATC code: V06DX

PHARMACEUTICAL PARTICULARS

6.1 List of excipients

Maltodextrin, Acidity Regulator, Sodium Chloride, Trisodium Citrate, Magnesium Bisglycinate, Potassium Chloride, Flavouring, Ascorbic Acid, Anti-Caking Agent, Sucralose, Colourant (E104), Chromium Picolinate.

6.2 Incompatibilities

None.

6.3 Shelf life

24 months.

6.4 Special precautions for storage

Store in a cool, dry place at or below 25 °C.

KEEP OUT OF REACH OF CHILDREN.

6.5 Nature and contents of container

White PET bottle containing a ginger coloured and flavoured syrup.

6.6 Special precautions for disposal and other handling

Any unused product or waste material should be disposed of in accordance with local requirements.

6. HOLDER OF CERTIFICATE OF REGISTRATION

XS PHARMA (Pty) Ltd

The Innovation Hub

1 Mark Shuttleworth St

Lynwood

Pretoria

0087

7. REGISTRATION NUMBER(S)

To be allocated.

Complementary Medicines

Category D

D. 32.3 Complementary Medicines: Health Supplements, Slimming preparations

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use. This complementary medicine is not intended to diagnose, treat, cure or prevent any disease. A varied diet is the most effective and safe way to achieve good nutrition, health, body composition as well as mental and physical performance.

9. DATE OF FIRST AUTHORISATION/RENEWAL OF THE AUTHORISATION

February 2026